



Emilia Rangehoods.

Hush
Low Noise Rangehoods

 **EMILIA**
800 SERIES

Classic Series

 **EMILIA**

Emilia Rangehood Selection Guide.

Hush Off board Rangehoods

Hush rangehoods have the advantage of almost totally silent operation. The fan motor is “Off Board” which means that it is located in the ceiling cavity. In apartments or homes without a space above the kitchen Hush rangehoods cannot be used and we recommend the 800 series.

Hush rangehoods come with a full installation kit including ducting. The only thing not included is the duct tape and the external vent.

Emilia 800 Series Onboard Rangehoods

For homes without a ceiling space we recommend the Emilia 800 Series. The 800 Series has an On Board design where the fan motor is contained within the rangehood.

As on the Hush rangehoods the filters are easy to clean stainless steel and the lights are super-efficient LED. There are five different models to select.

Emilia 800 Series rangehoods can be recirculated.

Emilia Classic Series Rangehoods

The Classic Series of rangehoods are the perfect replacement for outdated models. The sizes are typical of most existing rangehoods and are an easy way to update a kitchen.

The fan motors are onboard and the Classic Series represent value for money in a replacement rangehood.

High ceilings

Contact us on 1300 307 917 and ask for After Sales Service to check on the availability of extension chimneys (shrouds) to suit higher ceilings.

Carbon filters

Odour absorbing carbon filters are available for most models with the exception of the Hush Series, which cannot be recirculated back into the home.

Index.



Off Board Rangehoods

4

90cm Low Profile Stainless Steel Canopy

6

60cm Low Profile Stainless Steel Canopy

7

85cm Under Cupboard Rangehood

8



800 Series On Board Rangehoods

10

The Low Profile Slim Line Design Ninety

10

The Low Profile Slim Line Design Sixty

11

The Curved Glass Canopy Ninety

11

The Under Mount Eighty Five

12

The Under Mount Fifty Two

13

Classic Series

Classic Series On Board Rangehoods

14

The Undercupboard Seventy Five

14

The Undercupboard Fifty Three


14

The Slide Out Sixty

15

The Fixed Sixty

15



Maximum extraction. Minimum noise.

Open plan living makes the kitchen more than a food preparation zone and a noisy rangehood is an unwelcome intrusion. Emilia Hush rangehoods are silent. Just the quiet sound of air flowing through the filters.

Suitable for easy installation in any home that has a ceiling space above the kitchen.



Roof Space installation

The fan motor is located in the roof space. The rangehood exhausts out either through an existing vent in the roof or a new vent is installed.



Installation Tools

All fittings are supplied including the flexible ducting. All that's needed is some expertise, tools and duct tape. The external vent is not supplied.



Powerful Exhaust

HUSH rangehoods have a powerful maximum extraction rate of 1200 cubic metres per hour. Three speeds to choose from.



LED Lighting

LED lights illuminate the cooking surface.



Stainless Steel Baffle Filters

Easy clean efficient filters that are ideal for use over induction or gas cooktops. The EMHUSH90C also comes with optional mesh filters.



Peace of Mind

Covered by a full 2 Year Warranty and a national service network to make sure there is always a service agent when you need one. **All Hush rangehood motors are covered by a seven year warranty.**

Off Board Rangehood Collection

90cm Low Profile Stainless Steel Canopy.

Hush
Low Noise Rangehoods


EMHUSH90C

24/7
MONTH PRODUCT WARRANTY / YEAR MOTOR WARRANTY



Functions and Features

- 1200 cubic metres per hour extraction
- Ceiling cavity motor for silent operation
- Low consumption LED lights
- Outlet diameter 150 mm
- 3 Speed fan
- 3 dishwasher safe stainless steel filters
- 2 year product warranty and 7 year motor warranty
- Ready to go. Easy to install.



Complimentary Accessories



Filter hinge safety system



Mesh filter option included



Full installation kit included

60cm Low Profile Stainless Steel Canopy.

Hush
Low Noise Rangehoods


EMHUSH60C

24/7
MONTH PRODUCT WARRANTY / YEAR MOTOR WARRANTY



Functions and Features

- 1200 cubic metres per hour extraction
- Ceiling cavity motor for silent operation
- Low consumption LED lights
- Outlet diameter 150 mm
- 3 Speed fan
- 2 dishwasher safe stainless steel filters
- 2 mesh filters included as an option
- 2 year product warranty and 7 year motor warranty
- Ready to go. Easy to install.



Complimentary Accessories



Mesh filter option included



Full installation kit included

Off Board Rangehood Collection

85cm Under Cupboard Rangehood.

Hush
Low Noise Rangehoods


EMHUSH85U

24/7
MONTH PRODUCT WARRANTY / YEAR MOTOR WARRANTY



Functions and Features

- 1200 cubic metres per hour extraction
- Ceiling cavity motor for silent operation
- Low consumption LED lights
- Outlet diameter 150 mm
- 3 Speed fan
- 2 dishwasher safe stainless steel filters
- Oil collection tray
- 2 year product warranty and 7 year motor warranty
- Ready to go. Easy to install.



* allow 5mm clearance for installation



Complimentary Accessories



Full installation kit included



A new look at canopies.



The 800 Series is elegant and luxurious. There are five models in the range, all with high performance 800 cubic metres per hour extraction and super efficient LED lighting. The baffle filters are all dishwasher safe stainless steel, the fans have aerodynamic profile metal blades and there are 3 extraction settings.



Low consumption LED lighting




Stainless Steel baffle filters

The Low Profile Slim Line Design Ninety.

Sleek and elegant wall mounted rangehood. Able to be installed ducted or recirculating with charcoal filters available to remove odours as an option. High brightness illumination with 6 LED lights – 3 across the rear and another 3 across the front of the rangehood lighting the whole cooktop.

CK90SCF

- 90cm wide
- Stainless steel construction
- 800 cubic metre per hour extraction
- 3 speed fan
- Electronic controls
- 6 x LED lights
- Outlet diameter 150mm
- Noise Rating - db 60
- Can be recirculated



800 Series - On Board Rangehoods


The Low Profile Slim Line Design Sixty.



A new look for 60cm canopy rangehoods the low profile design brings a new level of style to 60cm canopies. Able to be installed ducted or recirculating with charcoal filters available to remove odours as an option. High brightness illumination with 4 LED lights – 2 across the rear and another 2 across the front of the rangehood to really enhance the cooking experience.

CK60SCF

- 60cm wide
- Stainless steel construction
- 800 cubic metre per hour extraction
- 3 speed fan
- Electronic controls
- 4 xLED lights
- Outlet diameter 150mm
- Noise Rating - db 60
- Can be recirculated




The Curved Glass Canopy Ninety.

A new sleek curve on the glass and the new black touch control panel makes this a high tech rangehood perfect for the modern kitchen. Wall mounted with the option of ducted or recirculated installation.

CK90CGNF

- 90cm wide
- Stainless steel construction
- 800 cubic metre per hour extraction
- 3 speed fan
- Electronic touch controls
- Twin LED lights
- Outlet diameter 150mm
- Noise Rating - db 59
- Can be recirculated



Under mount.



These two under mount models have been inspired by commercial rangehood designs. Using heavy duty baffle filters with moisture catchment and high efficiency LED lights these rangehoods bring a new meaning to heavy duty in domestic rangehood design.


The Under Mount Rangehood Eighty Five.

Perfect for installation over a 60cm wide cooktop right through to a 90cm cooktop.
Installed under the cupboard out of sight.



CK85UCF

- 800 cubic metres per hour extraction
- On Board motor
- Low consumption LED lights x 3
- Outlet diameter 150 mm
- 3 Speed fan
- 2 dishwasher safe stainless steel filters
- Oil collection tray
- 2 year warranty
- Noise Rating - db 58



800 Series - On Board Rangehoods

The Under Mount Rangehood Fifty Two.




Something special in an under mount rangehood over a 60cm cooktop. Installed under the cupboard out of sight.



CK52UCF

- 800 cubic metres per hour extraction
- On Board motor
- Low consumption LED lights x 3
- Outlet diameter 150 mm
- 3 Speed fan
- Dishwasher safe stainless steel filter
- Oil collection tray
- 2 year warranty
- Noise Rating - db 58



Classic Series On Board Rangehoods

The classic series of rangehoods are the perfect replacement for outdated models. The sizes are typical of most existing rangehoods and are an easy way to update a kitchen.

The fan motors are onboard and the Classic Series represent value for money in a replacement rangehood.


The Undercupboard Seventy Five.

Classic Series

Perfect for a 90cm cooktop.

CK75UCF

- 75cm wide
- Stainless steel construction
- 700 cubic metre per hour extraction
- 3 speed fan
- Push button controls
- Twin square LED lights
- Outlet diameter 120mm
- Noise Rating - db 58




The Undercupboard Fifty Three.

Perfect for a 60cm cooktop.

CK53UCF

- 53cm wide
- Stainless steel construction
- 700 cubic metre per hour extraction
- 3 speed fan
- Push button controls
- Twin square LED lights
- Outlet diameter 120mm
- Noise Rating - db 58



Classic Series On Board Rangehoods

Classic Series



The Slide Out Sixty.

CK60SLF

Ducted only


- 60cm wide
- Stainless steel construction
- 320 cubic metre per hour extraction
- 2 speed fan
- Twin square LED lights
- Outlet diameter 120mm
- Noise Rating - db 43




CK60FRF

Recirculated

- 60cm wide
- Stainless steel construction
- 210 cubic metre per hour extraction
- 2 speed fan
- Twin square LED lights
- Outlet diameter 120mm
- Noise Rating - db 55



CK60SLF - 43mm high frontbar




CK60FRF - 66mm high frontbar



The Fixed Sixty.

CK60FXF

- 60cm wide
- Stainless steel construction
- 210 cubic metre per hour extraction
- 3 speed fan
- Outlet diameter 120mm
- Noise Rating - db 54





Glem Gas Australasia Pty Ltd

48 Percy Street, Auburn NSW 2144 | PO BOX 63 Blaxcell PO, South Granville, NSW 2142

Telephone: (02) 9721 2755 | Facsimile: (02) 9721 2766 info@glemgas.com.au | www.emiliaappliances.com.au | Local charge 1 300 307 917

The descriptions and images in this brochure apply to the specific products at the date of publication. Glem Gas has a policy of continuous product development and product specifications may change without notice. Please check with the retailer that this brochure correctly describes the products that are being offered for sale. Glem Gas should not be held responsible for any errors in this brochure caused by inaccuracy in printing or transcription. All images used in the brochure are for illustrative purposes only.

Warranty: Glem products are covered by a two year warranty, on parts and labour and conditional to our Warranty policy.

Service: Glem Gas has an Australia wide service network available. Call 02 9721 2755 for assistance.